



EDITORIAL INDEX

2002 • Volume 45

■ ANTENNAS

Chuang, Huey-Ru, Liang-Chen Kuo, Chi-Chang Lin and Wen-Tzu Chen

"A 2.4 GHz Polarization-diversity Planar Printed Dipole Antenna for WLAN and Wireless Communication Applications," No. 6, p. 50.

Gunnels, Robert

"Axial Ratio Measurements of Single Circularly Polarized Antennas," No. 1, p. 124.

Izadian, Jamal S.

"QFHA Antennas for Satellite Radio and Mobile Phone Applications," No. 7, p. 64.

Jang, Yong-Woong

"Characteristics of a Large Bandwidth Rectangular Microstrip-fed Inserted Triangular Patch in a Circular Slot Antenna," No. 5, p. 258.

Jang, Yong-Woong, Jeong-Chull Yoon and Ho-Sub Shin

"A Large Bandwidth T-shaped Microstrip-fed Ground Plane Slot Antenna," No. 1, p. 92.

Jeon, Joo Seong

"Design of Wideband Patch Antennas for PCS and IMT-2000 Service," No. 7, p. 78.

Mathian, M., E. Korolkewicz, P. Gale and E.G. Lim

"Design of a Circularly Polarized 2×2 Patch Array Operating in the 2.45 GHz ISM Band," No. 5, p. 290.

Walker, Chris

"The Development of Wide Angle Base Station Antennas from Arrays," No. 7, p. 88.

Willey, Keith

"Antenna Selection to Minimize Pointing Requirements," No. 1, p. 114.

■ CAD/CAM

Blackwood, Charles

"Balancing the Budgets: The Importance of Dedicated Software for System Design," No. 11, p. 58.

Borjak, Assaad and Taoufik Bourdi

"Intermodulation Products for a Mixer Subjected to a Multi-carrier Signal," No. 2, p. 130.

Dunsmore, Joel, Greg Jue and John Kikuchi

"A Measurement-based Behavioral Model for IQ RF Modulators," No. 12, p. 82.

Faria, Daniel, Lawrence Dunleavy and Terje Svensen

"The Use of Intermodulation Tables for Mixer Simulations," No. 4, p. 60.

Maas, Stephen A.

"Fixing the Curtice FET Model," No. 3, p. 68.

Maas, Stephen A. and Ted Miracco

"Using Load Pull Analysis and Device Model Validation to Improve MMIC Power Amplifier Design Methodologies," No. 11, p. 20.

Vye, David

"Performing Transient Analysis on PLL Frequency Synthesizers," No. 1, p. 62.

Weller, Tom, David Markell, John Capwell and Vivi Cojocaru

"Considerations in Capacitor-pairing to Obtain Nonstandard Part Values," No. 11, p. 68.

Zhu, Yu, Jason Gerber and Qian Cai

"Simulating Multi-finger Power HBTs," No. 3, p. 96.

■ COMMERCIAL APPLICATIONS

Bernardo, Robert P.

"SAW Voltage-controlled Oscillators," No. 9, p. 166.

■ COMPONENTS/SUBSYSTEMS

Bahl, Inder J.

"Design of a Generic 2.5 W, 60 Percent Bandwidth, C-band MMIC Amplifier," No. 8, p. 54.

Chu, Yuan-Kai and Huey-Ru Chuang

"A Fully-integrated 5 GHz 0.18 μ m CMOS VCO for 802.11a WLAN Applications," No. 12, p. 74.

Devoe, Lambert and Alan Devoe

"Technology and Innovation in Single Layer Capacitors," No. 2, p. 144.

Han, Yongin and Ihn S. Kim

"Practical Design Consideration of a Modified Structure for a Planar Multiport Power Divider at 2 GHz," No. 11, p. 102.

Hwang, Hee-Yong, Sang-Won Yun and Joong-Sung Chung

"A New Type of Amplitude Equalizer for In-band Flatness Improvement," No. 2, p. 116.

Jang, Byung-Jun, In-Bok Yom and Seong-Pal Lee

"Q- and V-band MMIC Low Noise Amplifiers," No. 6, p. 74.

Jeong, Yong-Chae

"A Feedforward Power Amplifier with Loops to Reduce RX Band Noise and Intermodulation Distortion," No. 1, p. 80.

Kim, Dong-Wook, In-Ho Jeong and Jong-Soo Lee

"Passive Miniaturization: Si Integrated Passive Devices for RF and Microwave Applications," No. 11, p. 78.

Kim, Ihn S., Chisung Jo and Yongin Han

"Output Power Improvement of a Push-push FET DRO by Using an Additional DR," No. 4, p. 104.

Sato, Tetsuo and Chris Grigorean

"Design Advantages of CDMA Power Amplifiers Built with MOSFET Technology," No. 10, p. 64.

Seo, Munkyo, Joo-Yeol Lee, Kyung-Kuk Lee and Sangwook Nam

"A Varactor-tuned Oscillator with Linear Tuning Characteristic," No. 2, p. 100.

Shigematsu, H., M. Sato, T. Hirose and Y. Watanabe

"A Distributed Amplifier for 40 Gbps Fiber-optic Communications Systems," No. 4, p. 78.

Sun, Jwo-Shiun and Guan-Yu Chen

"A New Planar Coupled-line Balun for Microwave Applications," No. 5, p. 306.

Wang, Xudong, Dawn Wang, Chris Masse and Peter Bacon

"Low Phase Noise SiGe Voltage-controlled Oscillators for Wireless Applications," No. 2, p. 84.

Yue, Jerry and Jeff Kris

"SOI CMOS Technology for RF System-on-chip Applications," No. 1, p. 104.

■ COVERS

CST of America Inc.

"A Revolution in the Time Domain," No. 8, p. 82.

Eagleware Corp.

"A Complete Spectral System Analysis for RF/Microwave Engineers," No. 3, p. 122.

EMC Technology Inc.

"Temperature Variable Attenuator for Millimeter-wave Applications," No. 4, p. 108.

Hittite Microwave Corp.

"Active Multipliers and Dividers to Simplify Synthesizers," No. 11, p. 118.

M/A COM

"2.5 V GaAs pHEMT Switches for GSM Handsets," No. 1, p. 172.

MIG, Microwave Innovation Group

"A CAD Tool Utilizing Fast Hybrid MM/FE/MoM/FD Techniques," No. 9, p. 178.

Mini-Circuits

"An LTCC Double-balanced Mixer," No. 10, p. 100.

RF Micro Devices

"A High Gain Power Amplifier with Variable Bias for Multi-mode WCDMA Applications," No. 2, p. 154.

Rogers Corp.

"Dielect Liquid Crystalline Polymer Circuit Material for Multilayer PCBs," No. 7, p. 96.

United Monolithic Semiconductors S.A.S.

"Low Cost Millimeter-wave Packaged MMICs," No. 6, p. 100.

Unity Wireless Systems Corp.

"A Minimalist Approach to Feedforward Multi-carrier Linear Power Amplifiers," No. 12, p. 94.

■ DESIGN

Debaillie, B., B. Come, W. Eberle, S. Donnary and H. Minami

"System-level Filter Design Methodology for WLAN-OFDM Transceivers," No. 5, p. 268.

Hausman, Howard

"Topics in Communication System Design: Carrier Triple Beats," No. 1, p. 20.

Hwang, Hee Yong and Sang-won Yun

"The Design of Bandpass Filters Considering Frequency Dependence of Inverters," No. 9, p. 154.

Jeong, Yong-Chae and Sang-Young Yun

"Design of a Predistortive High Power Amplifier Using Carrier Complex Power Series Analysis," No. 4, p. 92.

Koupal, Bob, Marshall Wang and Cory Edelman

"Designing a Bluetooth Transceiver in RF CMOS," No. 2, p. 62.

Krug, Florian and Jean Wilwert

"Calculation and Measurement of Lock Time in a Phase-locked Loop Frequency Synthesizer," No. 4, p. 22.

Moghe, Sanjay

"Design Considerations for Multimode Multiband WLANs," No. 9, p. 132.

Snodgrass, D.K.

"60 GHz Radio System Design Tradeoffs," No. 7, p. 50.

Staudinger, J.

"Effects of AM/AM and AM/PM Distortion on Spectral Regrowth in 3GPP W-CDMA BS Power Amplification," No. 11, p. 90.

Sundaram, K.R. and S. Sudha Rani

"Processing Techniques for Broadband DIFM Receivers," No. 6, p. 20.

Yoo, Hyung Joun and Ji-Hoon Kim

"The Receiver Noise Equation: A Method for System Level Design of an RF Receiver," No. 8, p. 20.

■ DEVICE

Rice, Jed

"LDMOS Linearity and Reliability," No. 6, p. 64.

[Continued on page 92]



EDITORIAL INDEX

2002 • Volume 45

■ ANTENNAS

Chuang, Huey-Ru, Liang-Chen Kuo, Chi-Chang Lin and Wen-Tzu Chen

"A 2.4 GHz Polarization-diversity Planar Printed Dipole Antenna for WLAN and Wireless Communication Applications," No. 6, p. 50.

Gunnels, Robert

"Axial Ratio Measurements of Single Circularly Polarized Antennas," No. 1, p. 124.

Izadian, Jamal S.

"QFHA Antennas for Satellite Radio and Mobile Phone Applications," No. 7, p. 64.

Jang, Yong-Woong

"Characteristics of a Large Bandwidth Rectangular Microstrip-fed Inserted Triangular Patch in a Circular Slot Antenna," No. 5, p. 258.

Jang, Yong-Woong, Jeong-Chull Yoon and Ho-Sub Shin

"A Large Bandwidth T-shaped Microstrip-fed Ground Plane Slot Antenna," No. 1, p. 92.

Jeon, Joo Seong

"Design of Wideband Patch Antennas for PCS and IMT-2000 Service," No. 7, p. 78.

Mathian, M., E. Korolkewicz, P. Gale and E.G. Lim

"Design of a Circularly Polarized 2×2 Patch Array Operating in the 2.45 GHz ISM Band," No. 5, p. 290.

Walker, Chris

"The Development of Wide Angle Base Station Antennas from Arrays," No. 7, p. 88.

Willey, Keith

"Antenna Selection to Minimize Pointing Requirements," No. 1, p. 114.

■ CAD/CAM

Blackwood, Charles

"Balancing the Budgets: The Importance of Dedicated Software for System Design," No. 11, p. 58.

Borjak, Assaad and Taoufik Bourdi

"Intermodulation Products for a Mixer Subjected to a Multi-carrier Signal," No. 2, p. 130.

Dunsmore, Joel, Greg Jue and John Kikuchi

"A Measurement-based Behavioral Model for IQ RF Modulators," No. 12, p. 82.

Faria, Daniel, Lawrence Dunleavy and Terje Svensen

"The Use of Intermodulation Tables for Mixer Simulations," No. 4, p. 60.

Maas, Stephen A.

"Fixing the Curtice FET Model," No. 3, p. 68.

Maas, Stephen A. and Ted Miracco

"Using Load Pull Analysis and Device Model Validation to Improve MMIC Power Amplifier Design Methodologies," No. 11, p. 20.

Vye, David

"Performing Transient Analysis on PLL Frequency Synthesizers," No. 1, p. 62.

Weller, Tom, David Markell, John Capwell and Vivi Cojocaru

"Considerations in Capacitor-pairing to Obtain Nonstandard Part Values," No. 11, p. 68.

Zhu, Yu, Jason Gerber and Qian Cai

"Simulating Multi-finger Power HBTs," No. 3, p. 96.

■ COMMERCIAL APPLICATIONS

Bernardo, Robert P.

"SAW Voltage-controlled Oscillators," No. 9, p. 166.

■ COMPONENTS/SUBSYSTEMS

Bahl, Inder J.

"Design of a Generic 2.5 W, 60 Percent Bandwidth, C-hand MMIC Amplifier," No. 8, p. 54.

Chu, Yuan-Kai and Huey-Ru Chuang

"A Fully-integrated 5 GHz 0.18 μ m CMOS VCO for 802.11a WLAN Applications," No. 12, p. 74.

Devoe, Lambert and Alan Devoe

"Technology and Innovation in Single Layer Capacitors," No. 2, p. 144.

Han, Yongin and Ihn S. Kim

"Practical Design Consideration of a Modified Structure for a Planar Multiport Power Divider at 2 GHz," No. 11, p. 102.

Hwang, Hee-Yong, Sang-Won Yun and Joong-Sung Chung

"A New Type of Amplitude Equalizer for In-band Flatness Improvement," No. 2, p. 116.

Jang, Byung-Jun, In-Bok Yom and Seong-Pal Lee

"Q- and V-band MMIC Low Noise Amplifiers," No. 6, p. 74.

Jeong, Yong-Chae

"A Feedforward Power Amplifier with Loops to Reduce RX Band Noise and Intermodulation Distortion," No. 1, p. 80.

Kim, Dong-Wook, In-Ho Jeong and Jong-Soo Lee

"Passive Miniaturization: Si Integrated Passive Devices for RF and Microwave Applications," No. 11, p. 78.

Kim, Ihn S., Chisung Jo and Yongin Han

"Output Power Improvement of a Push-push FET DRO by Using an Additional DR," No. 4, p. 104.

Sato, Tetsuo and Chris Grigorean

"Design Advantages of CDMA Power Amplifiers Built with MOSFET Technology," No. 10, p. 64.

Seo, Munkyo, Joo-Yeol Lee, Kyung-Kuk Lee and Sangwook Nam

"A Varactor-tuned Oscillator with Linear Tuning Characteristic," No. 2, p. 100.

Shigematsu, H., M. Sato, T. Hirose and Y. Watanabe

"A Distributed Amplifier for 40 Gbps Fiber-optic Communications Systems," No. 4, p. 78.

Sun, Jwo-Shiun and Guan-Yu Chen

"A New Planar Coupled-line Balun for Microwave Applications," No. 5, p. 306.

Wang, Xudong, Dawn Wang, Chris Masse and Peter Bacon

"Low Phase Noise SiGe Voltage-controlled Oscillators for Wireless Applications," No. 2, p. 84.

Yue, Jerry and Jeff Kris

"SOI CMOS Technology for RF System-on-chip Applications," No. 1, p. 104.

■ COVERS

CST of America Inc.

"A Revolution in the Time Domain," No. 8, p. 82.

Eagleware Corp.

"A Complete Spectral System Analysis for RF/Microwave Engineers," No. 3, p. 122.

EMC Technology Inc.

"Temperature Variable Attenuator for Millimeter-wave Applications," No. 4, p. 108.

Hittite Microwave Corp.

"Active Multipliers and Dividers to Simplify Synthesizers," No. 11, p. 118.

M/A COM

"2.5 V GaAs pHEMT Switches for GSM Handsets," No. 1, p. 172.

MIG, Microwave Innovation Group

"A CAD Tool Utilizing Fast Hybrid MM/FE/MoM/FD Techniques," No. 9, p. 178.

Mini-Circuits

"An LTCC Double-balanced Mixer," No. 10, p. 100.

RF Micro Devices

"A High Gain Power Amplifier with Variable Bias for Multi-mode WCDMA Applications," No. 2, p. 154.

Rogers Corp.

"Dielect Liquid Crystalline Polymer Circuit Material for Multilayer PCBs," No. 7, p. 96.

United Monolithic Semiconductors S.A.S.

"Low Cost Millimeter-wave Packaged MMICs," No. 6, p. 100.

Unity Wireless Systems Corp.

"A Minimalist Approach to Feedforward Multi-carrier Linear Power Amplifiers," No. 12, p. 94.

■ DESIGN

Debaillie, B., B. Come, W. Eberle, S. Donnelly and H. Minami

"System-level Filter Design Methodology for WLAN-OFDM Transceivers," No. 5, p. 268.

Hausman, Howard

"Topics in Communication System Design: Carrier Triple Beats," No. 1, p. 20.

Hwang, Hee Yong and Sang-won Yun

"The Design of Bandpass Filters Considering Frequency Dependence of Inverters," No. 9, p. 154.

Jeong, Yong-Chae and Sang-Young Yun

"Design of a Predistortive High Power Amplifier Using Carrier Complex Power Series Analysis," No. 4, p. 92.

Koupal, Bob, Marshall Wang and Cory Edelman

"Designing a Bluetooth Transceiver in RF CMOS," No. 2, p. 62.

Krug, Florian and Jean Wilwert

"Calculation and Measurement of Lock Time in a Phase-locked Loop Frequency Synthesizer," No. 4, p. 22.

Moghe, Sanjay

"Design Considerations for Multimode Multiband WLANs," No. 9, p. 132.

Snodgrass, D.K.

"60 GHz Radio System Design Tradeoffs," No. 7, p. 50.

Staudinger, J.

"Effects of AM/AM and AM/PM Distortion on Spectral Regrowth in 3GPP W-CDMA BS Power Amplification," No. 11, p. 90.

Sundaram, K.R. and S. Sudha Rani

"Processing Techniques for Broadband DIFM Receivers," No. 6, p. 20.

Yoo, Hyung Joun and Ji-Hoon Kim

"The Receiver Noise Equation: A Method for System Level Design of an RF Receiver," No. 8, p. 20.

■ DEVICE

Rice, Jed

"LDMOS Linearity and Reliability," No. 6, p. 64.

[Continued on page 92]

EDITORIAL INDEX

2002 • Volume 45

INSTRUMENTS/MEASUREMENTS

Agahi, Darioush, William Domino and Nooshin Vakilian

"Two-tone vs. Single-tone Measurement of Second-order Nonlinearity," No. 3, p. 82.

Iglesias, Marta

"Understanding W-CDMA Modulation Quality Measurements," No. 12, p. 56.

Lázaro, A., M.C. Maya and L. Pradell

"Measurement of On-wafer Transistor Noise Parameters Without a Tuner Using Unrestricted Noise Sources," No. 3, p. 20.

Yin, Ping

"Specifications and Definitions for Quadrature Demodulators and Receiver Design Measurements," No. 10, p. 22.

PRODUCT FEATURES

Amplifier Research

"A Broadband Hybrid Solid-state and TWT Amplifier," No. 9, p. 184.

APLAC Solutions Oy

"A Simulation Builder for Versatile Framework Integration," No. 8, p. 94.

Celiant Corp.

"A High Power Multi-carrier Power Amplifier," No. 2, p. 172.

Datum Inc.

"A Modern Militarized Rubidium Frequency Standard," No. 5, p. 317.

Dow-Key Microwave Corp.

"Internally Terminated 12-throw Electromechanical Switches for Matrix Applications," No. 7, p. 104.

e-tenna Corp.

"Low Cost Phased Array Antennas for BWA Applications," No. 5, p. 324.

EIC Corp.

"WCDMA Application of Gain Blocks," No. 3, p. 140.

EIC Corp.

"A Cost-effective 2 W GaAs MMIC Amplifier Solution," No. 11, p. 130.

IFR Systems Inc.

"An RF Signal Generator Offering Full Digital, Vector and Analog Modulation," No. 10, p. 114.

Lamina Ceramics

"New Substrate Technology for High Performance Circuits and Systems," No. 12, p. 104.

LPKF Laser & Electronics

"Laser-activatable Plastics and Laser Devices that Deliver Flexible 3D MID Technology," No. 5, p. 329.

LPKF Laser & Electronics

"A Fast and Flexible Circuit Board Plotter," No. 11, p. 144.

Marconi Applied Technologies

"A Graded-gap Gunn Diode Voltage Controlled Oscillator for Adaptive Cruise Control," No. 7, p. 110.

MCE/KDI Integrated Products

"A Compact W-CDMA RF Front End," No. 7, p. 117.

MEM Research

"An EM Simulator for MEMS and Real Life MMICs," No. 5, p. 310.

Merrimac Industries Inc.

"A Frequency Discriminator with a Small Footprint," No. 6, p. 110.

MI Technologies

"Cost-effective Wireless Antenna Measurement Systems," No. 1, p. 182.

Micro Lambda Wireless Inc.

"An Eight-channel YIG-tuned Frequency Synthesizer Array," No. 5, p. 336.

Micro Metalsmiths Ltd.

"A Compact Monopulse Feed for Tracking Antennas," No. 9, p. 188.

Micromanipulator Co.

"RF/Microwave Manipulators for Precise Test Probe Measurements," No. 12, p. 108.

Milmege Ltd.

"An X-band, High Power, MMIC-based Microwave Amplifier," No. 2, p. 168.

Mimix Broadband Inc.

"A Highly Linear 17 to 24 GHz SMT Power Amplifier," No. 9, p. 192.

Modelithics Inc.

"Advanced Microwave Chip Capacitor Models," No. 1, p. 190.

Noise Com Inc.

"Precision E_p/N_0 Generators for BER Testing to 44 GHz," No. 11, p. 147.

Peregrine Semiconductor Corp.

"Monolithic RF Matrix Switches," No. 4, p. 114.

Poseidon Scientific Instruments Pty Ltd.

"A Mobile Ultra-low Phase Noise Sapphire Oscillator," No. 1, p. 188.

Racal Instruments Limited

"A Portable Base Station Installation and Commissioning Test System," No. 3, p. 134.

Rohde & Schwarz GmbH & Co. KG

"A Handheld Spectrum Analyzer Offering High Performance from a Small Footprint," No. 11, p. 140.

Taconic Advanced Dielectric Division

"A Low Loss PTFE-based Bond Ply Material for Multilayer PCB Applications," No. 5, p. 333.

TRAK Microwave Corp.

"A Low Cost Oscillator for Fiber-optic Applications," No. 4, p. 124.

Valence Semiconductor

"A CMOS-based Front-end Downconverter for GPS Applications," No. 1, p. 176.

Vari-L Co. Inc.

"A New Wideband Family of Oscillators," No. 3, p. 156.

WJ Communications Inc.

"Single- and Dual-branch Downconverter ICs for Wireless Base Station Applications," No. 10, p. 106.

Zeland Software Inc.

"Software for Optimizing the Design and Low Cost Production of Waveguide Filters," No. 3, p. 148.

Zeland Software Inc.

"Design of Working Filters Using Both Analytical and Numerical Tools," No. 6, p. 114.

SPECIAL REPORTS

Howe, Harlan Jr.

"The Old Order Changeth — Again!," No. 10, p. 20.

Mumford, Richard

"Research@mwjournal.com," No. 9, p. 22.

TUTORIAL SERIES

Colin, Dennis

"Externally Induced VCO Phase Noise," No. 2, p. 20.

Goldberg, Bar-Giora

"Fibercom Clock Timing — A Review of PLL Solutions," No. 6, p. 86.

Grebennikov, Andrei

"High Efficiency Class B, E and F Power Amplifiers: The Magic of Parallel Circuits," No. 12, p. 20.

Johnson, Kent K.

"Optimizing Link Performance, Cost and Interchangeability by Predicting Residual BER: Part I — Residual BER Overview and Phase Noise," No. 7, p. 20.

Johnson, Kent K.

"Optimizing Link Performance, Cost and Interchangeability by Predicting Residual BER: Part II — Nonlinearity and System Budgeting," No. 9, p. 96.

Ladbrooke, Peter and James Bridge

"The Importance of the Current-voltage Characteristics of FETs, HEMTs and Bipolar Transistors in Contemporary Circuit Design," No. 3, p. 106.

Maloratsky, Leo G.

"Reviewing the Basics of Suspended Striplines," No. 10, p. 82.

McCune, Earl

"Gain for Compressed Amplifiers," No. 5, p. 300.

WIRELESS SYMPOSIUM AND EXHIBITION

2002 Penton Wireless Systems Design Exhibition Showcase

No. 1, p. 156.

2002 Penton Wireless Systems Design Exhibitors

No. 1, p. 168.

2002 Penton Wireless Systems Design Show Guide

No. 1, p. 134.

2002 MTT-S CONFERENCE

Bashore, Frank

"A Seattle Surprise: IMS 2002," No. 8, p. 72.

Harvey, Donn

"Welcome to the 2002 International Microwave Symposium," No. 5, p. 24.

Howe, Harlan Jr.

"Attending the Conference," No. 5, p. 30.

Zarlingo, Ben, Allison Greco and James T. Walsh

"There's No Place Like... The Emerald City," No. 5, p. 40.

Washington State Convention and Trade Center Floor Plan

No. 5, p. 182.

2002 IEEE MTT-S IMS Exhibition Guide

No. 5, p. 74.

2002 IEEE MTT-S IMS Technical Program

No. 5, p. 186.

2002 IMS Exhibitors

No. 5, p. 172.